

RESEARCH ARTICLE

Mathematical Analysis on troubleshooting problem during Covid-19 Pandemic

Xia Jiang,¹ Bin Zhao^{1,2*}

¹Hospital, Hubei University of Technology, Wuhan, Hubei, China

²School of Science, Hubei University of Technology, Wuhan, Hubei, China

Corresponding Author: Bin Zhao, School of Science, Hubei University of Technology, Wuhan, Hubei, China.
Tel./Fax: +86 130 2851 7572. E-mail: zhaobin835@nwsuaf.edu.cn

Received: November 05, 2022 **Published:** November 14, 2022

Citation: Bin Z. Mathematical Analysis on troubleshooting problem during Covid-19 Pandemic. Int J Complement Intern Med. 2022;2(1):67–70.

Copyright: ©2022 Zhao. This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and build upon your work non-commercially.

Abstract

Mathematics is closely related to people's daily lives, such as the various shapes that can be seen everywhere, and the various distance relationships. Similarly, industrial production is inseparable from mathematics. The problem of nesting is a representative planning problem in industry and is widely used in the fields of construction, clothing, machinery, and wood. With the development of computers, the nesting problem has been significantly improved by relying on the emergence of some intelligent algorithms. However, at the beginning of the problem, establishing a reasonable mathematical model is an essential step. This article summarizes the common mathematical models in the troubleshooting problem and analyzes the advantages and disadvantages during COVID-19 pandemic.

Keywords: Nesting, Mathematical Models, Troubleshooting Problem

Introduction

The nesting problem, also known as the unloading problem. It refers to the slitting out of a variety of parts of different lengths from a specification of the material to maximize the utilization rate of the material. According to the dimensionality of raw materials, nesting problems can be classified into the following categories: one-dimensional blanking problems, two-dimensional blanking problems, and three-dimensional blanking problems during COVID-19 pandemic.

Depending on the type of part, one-dimensional nesting problems can be divided into one-dimensional nesting problems with a single specification (the length of raw materials are equal) and one-dimensional nesting problems with multiple specifications (different lengths of raw materials).

According to the quantity of raw materials, it can be divided into complete unloading (the quantity of raw materials is sufficient to obtain all required profiles) and incomplete unloading (the number of raw materials is limited, only part of the demand profiles can be obtained) problems. The one-dimensional blanking problem belongs to the NP problem, the number of solutions is incalculable, and it cannot be solved using a simple exhaustive method, so some accurate mathematical models are needed to describe it.

Mathematical models

In the nesting problem, some mathematical models are often needed to represent the solution results, and the quality of the model is related to the quality of the results.

This section describes two common mathematical models.

1. Kantorovichmodel¹

$$\begin{aligned} & \min \sum_{i=1}^m y_i \\ \text{s. t. } & \sum_{i=1}^m x_{ij} \geq d_j, \quad \forall j \\ & \sum_{j=1}^n l_j x_{ij} \leq L y_i, \quad \forall i \end{aligned}$$

where: m is the total number of raw material roots of the unloading, i is the serial number of the raw material, $i = 1, 2, 3, \dots, m$, n is the number of parts to be unloaded,

j is the serial number of the part, $j = 1, 2, 3, \dots, n$, l_j is the length of the part j , d_j is the

demand quantity of the part j , L is the length of the raw material, x_{ij} is the number of cutting roots of the first part in the i root raw material, y_i is the variable 0-1, if the i root raw material is used for the blanking, then $y_i = 1$, otherwise $y_i = 0$.

2. Gilmore-Gomorymodel²

$$\begin{aligned} & \min \sum_{i=1}^m c_j x_j \\ \text{s. t. } & \sum_{j=1}^m a_{ij} x_j \geq d_j, \quad \forall i \\ & \sum_{j=1}^n a_{ij} l_i \leq L, \quad \forall j \end{aligned}$$

where: i is the part serial number, $i = 1, 2, 3, \dots, n$, j is the unloading mode serial number, $j = 1, 2, 3, \dots, m$, and c_j is the cost of using the j th unloading mode; a_{ij} is the

number of cuts in the part i in the unloading mode j ; x_j is the number of raw materials required to use the j -type unloading mode.

Analyse

There are the following examples: there are 1 m long raw materials, now need to get 0.2m long 3, 0.3m long 4, 0.4m long 1, 0.5m long 2, how to cut the most economical material. In the second section, two mathematical models are introduced. The objective function of the Kantorovich model is the total number of roots consumed by the raw material, and the decision function is that the number of parts of a single kind needs to be greater than the number of demanded parts, and the length of each raw material needs to be greater than all the parts obtained from the raw material. Using the results of the model, two results may appear as shown in Figure 1, Figure 2, wherein the first way is 0.2m, 0.3m, 0.5m for a group, cut two, 0.3m, 0.3 m, 0.4 m for a group, cut one, 0.2 m for a group, cut one; The second way is 0.2 m, 0.3 m, 0.5 m for a group, cut two, 0.2 m, 0.3 m, 0.4 m for a group, cut one, 0.3 m for a group, cut one. Comparing the two methods, both meet the

Kantorovich model, but the utilization rate obtained at this time is obviously different.³⁻¹²

0.2		
0.3	0.3	0.4
0.2	0.3	0.5
0.2	0.3	0.5

Figure 1. The first cutting method

0.3			
0.2	0.3	0.4	
0.2	0.3	0.5	
0.2	0.3	0.5	

Figure 2. The second cutting method

In the Gilmore-Gomory model, there is a m-seed unloading pattern, where the objective function is the scrap rate of raw materials, and the decision function is consistent with the Kantorovich model. For the Gilmore-Gomory model, the problem on the Kantorovich model was solved to some extent, but it would undoubtedly cost more time before waiting for the results.

Comparing the two models, the Kantorovich model solves the time cost, while the Gilmore-Gomory model saves materials, and the choice of the two modes should be combined with the production reality, balancing the relationship between time and material.¹²⁻¹⁹

Conclusion

Mathematical thought refers to the spatial form and quantitative relationship of the real world reflected in human consciousness, through the thinking activities and produce a result, it is the basic view of dealing with problems in mathematics, is a summary of the basic knowledge of mathematics and the essence of basic methods, is the guideline for the creative development of mathematics.²⁰⁻²⁶ Through the cultivation of mathematical ideas, the ability of mathematics will be greatly improved. To master mathematical ideas is to master the essence of mathematics. For mathematics, the ultimate goal must be to combine it with reality, and mathematics divorced from reality is meaningless. In industry, mathematics is often linked to increasing the number of productivity, utilization, etc., and to improve these values, more accurate mathematical models are needed, so our learning of mathematics should be more in-depth and not stagnant.²⁷⁻³³

Conflict Of Interest

We have no conflict of interests to disclose and the manuscript has been read and approved by all named authors.

Acknowledgment

This work was supported by the Philosophical and Social Sciences Research Project of Hubei Education Department (19Y049), and the Staring Research Foundation for the Ph.D. of Hubei University of Technology (BSQD2019054), Hubei Province, China.

References

1. LV Kantorovich. Mathematical Methods of Organizing and Planning Production. *Management Science*. 1960; 6(4):366–422.
2. Gilmore PC, Gomory RE. A linear programming approach to the cutting stock problem. *Operations Research*. 1961;9(2):849–859.
3. Babu AR, Babu NR. A generic approach for nesting of 2-D parts in 2-D sheets using genetic and heuristic algorithms. *Computer-Aided Design*. 2001;33(12):879–891.
4. Baker BS, Coffman EG, Rivest RL. Orthogonal packings in two dimensions. *SIAM Journal on Computing*. 1980;9(4):846–855.
5. Baldacci R, Boschetti MA, Ganovelli M. Algorithms for nesting with defects. *Discrete Applied Mathematics*. 2014;163:17–33.
6. Bengio Y, Lodi A, Prouvost A. Machine learning for combinatorial optimization: a methodological tour d’horizon. *European Journal of Operational Research*. 2021;290(2):405–421.
7. Bennell JA, Oliveira JF. The geometry of nesting problems: A tutorial. *European Journal of Operational Research*. 2008;184(2):397–415.
8. Cherri LH, Cherri AC, Soler EM. Mixed integer quadratically constrained programming model to solve the irregular strip packing problem with continuous rotations. *Journal of Global Optimization*. 2018;72(1):89–107.
9. Cherri LH, Mundim LR, Andretta M. Robust mixed-integer linear programming models for the irregular strip packing problem. *European Journal of Operational Research*. 2016;253(3):570–583.
10. Chryssolouris G, Papakostas N, Mourtzis D. A decision-making approach for nesting scheduling: a textile case. *International Journal of Productions Research*. 2000;38(17):4555–4564.

11. Dowsland KA, Vaid S, Dowsland WB. An algorithm for polygon placement using a bottom-left strategy. *European Journal of Operational Research*. 2002;141(2):371–381.
12. Elkeran A. A new approach for sheet nesting problem using guided cuckoo search and pairwise clustering. *European Journal of Operational Research*. 2013;231(3):757–769.
13. Gahm C, Uzunoglu A, Wahl S. Applying machine learning for the anticipation of complex nesting solutions in hierarchical production planning. *European Journal of Operational Research*. 2022;296(3):819–836.
14. Leao AA, Toledo FM, Oliveira JF. Irregular packing problems: A review of mathematical models. *European Journal of Operational Research*. 2020;282(3):803–822.
15. Pinheiro PR, Júnior BA, Saraiva RD. A random-key genetic algorithm for solving the nesting problem. *International Journal of Computer Integrated Manufacturing*. 2016;29(11):1159–1165.
16. Plisnier H, Steckelmacher D, Roijers DM. Transfer reinforcement learning across environment dynamics with multiple advisors. In BNAIC/BENELEARN. Rakotonirainy, RG. A machine learning approach for automated strip packing algorithm selection. *ORiON*. 2019;36(2):73–88.
17. Sato AK, Martins TC, Gomes AM. Raster penetration map applied to the irregular packing problem. *European Journal of Operational Research*. 2019;279(2):657–671.
18. Sutton RS, Barto AG. Reinforcement learning: an introduction. MIT Press. Toledo FM, Carravilla MA, Ribeiro C, Oliveira JF. The dotted-board model: A new MIP model for nesting irregular shapes. *International Journal of Production Economics*. 2013;145(2): 478–487.
19. Akunuru R, Babu N. Semi-discrete geometric representation for nesting problems. *International Journal of Production Research*. 2013;51:4155–4174.
20. Baldacci R, Boschetti M, Ganovelli M. Algorithms for nesting with defects. *Discrete Applied Mathematics*. 2014;163:17–33.
21. Bennell J, Oliveira J. The geometry of nesting problem: A tutorial. *European Journal of Operational Research*. 2008;184:397–415.
22. Burke E, Hellier R, Kendall G. Irregular packing using the line and arc no-fit polygon. *Operations Research*. 2010;58:948–970.
23. Cherri L, Carravilla M, Toledo F. A model-based heuristic for the irregular strip packing problem. *Pesquisa Operacional*. 2016;36:447–468.
24. Gomes AM. Irregular packing problems: Industrial applications and new directions using computational geometry. *IFAC-Proceedings*. 2013;46:378–383.
25. Gomes AM, Oliveira J. A 2-exchange heuristic for nesting problems. *European Journal of Operational Research*. 2002;141:359–370.
26. Kierkosz I, Luczak M. A one-pass nesting problems. *Operations Research and Decisions*. 2019;29:37–60.
27. Leao A, Toledo F, Oliveira J. A semi-continuous MIP model for the irregular strip packing problem. *International Journal of Production Research*. 2015;54:712–721.
28. Leao A, Toledo F, Oliveira J. Irregular packing problems: A review of mathematical models. *European Journal of Operational Research*. 2020;282:803–822.
29. Pinheiro PR, Amaro Junior B, Saraiva RD. A random-key genetic algorithm for solving the nesting problem. *International Journal of Computer Integrated Manufacturing*. 2016;29:1159–1165.
30. Sato A, Martins T, Gomes A. Raster penetration map applied to the irregular packing problem. *European Journal of Operational Research*. 2019;279:657–671.
31. Sato A, Martins T, Tsuzuki M. A pairwise exact placement algorithm for the irregular nesting problem. *International Journal of Computer Integrated Manufacturing*. 2016;29:1177–1189.
32. Sato AK, Tsuzuki MSG, Martins TC. Study of the grid size impact on a raster based strip packing problem solution. *IFAC-Papers On Line*. 2016b;49:143–148.
33. Toledo F, Carravilla M, Ribeiro C. The dotted-board model: A new MIP model for nesting irregular shapes. *International Journal of Production Economics*. 2013;145:478–487.